



RTOS Debugger for Nucleus PLUS

68k
ARM
XSCALE
C166
H8/300H
M-CORE
MIPS
PowerPC
SH4
TriCore
X86

- Improved support for the Nucleus PLUS debugger DBUG+
- Real time, non-intrusive display of Nucleus PLUS system resources
- Nucleus PLUS specific display of trace listing
- Statistic evaluation and graphic display of task run times
- Task related evaluation of function run times
- Statistic evaluation and graphic display of task states
- Task stack coverage
- Task context display
- PRACTICE functions for OS data
- Nucleus PLUS related pull-down menu


The TRACE32 System includes a configurable multitask debugger to provide symbolic debugging in real time operating systems. Our software package contains a ready-to-run configuration for the Nucleus PLUS Real Time Kernel from Mentor Graphics Corporation.

Multitask Debugging on TRACE32 with Nucleus PLUS

Improved support for the Nucleus PLUS Debugger DBUG+

Nucleus PLUS provides a kernel debugger called DBUG+, which runs on the target. TRACE32 provides an interface to this debugger. I.e. you can control the debugger and view its outputs inside the TRACE32 surface. The communication is set up via the emula-

tor's dual port memory, substituting the serial interface routines of DBUG+. This technique provides high speed, transparent communication with the target without the use of any serial hardware or other target resources.



```

E::term T32OUT T32IN
DEBUG+>ts
***** Task Status Display *****
Task Name:          TASK 0   TASK 1   TASK 2   TASK 3   TASK 4
Task Status:        SLEEP   READY  READY   SLEEP   SEMA
Scheduled Count (H): 2D     13D    136     9        9
Priority:            1       10     10      5        5
Preemptable:        YES     YES    YES     YES     YES
Time Slice:         20      5      5       5       5
Stack Base (H):     00016140 00016344 00016548 0001674C 00016958
Stack Size:         500     500    500     500     500
Minimum Stack:      420     420    420     420     420

Task Name:          TASK 5   DBUG+
Task Status:        EVENTS  READY
Scheduled Count (H): 33     29F
Priority:            7       8
Preemptable:        YES     YES
Time Slice:         DISABLED DISABLED
Stack Base (H):     00016B54 00016D58
Stack Size:         500     600
Minimum Stack:      420     520

DEBUG+>

```

Terminal window to the Nucleus PLUS debugger DBUG+

Task Context Display

The TRACE32 Multitask debugger provides an easy way to switch the current displayed context to another task. Normally all register related windows (e.g. listing at current PC, local variables or function call stack) are displayed

related to the actual context (i.e. current executed task). You can switch to the context of another task to see all this information at the time this task was scheduled.

Real time, non-intrusive display of Nucleus PLUS system resources

The TRACE32 multitask debugger for Nucleus PLUS provides display functions, closely mirroring the command set of DBUG+. The system resources tasks, mailboxes, queues, pipes, semaphores, events, timers, partitions and dynamic memory usage can be displayed. In addition, by using the emulators dual-port memory, the display of all

these regions can be viewed non-intrusively in real time. The tables are updated permanently (“On The Fly”), without affecting the application at all. Moreover, these functions are still available, when the DBUG+ is not linked to your software.

The image shows two windows from the TRACE32 debugger. The top window, titled 'E::task.ts', displays a list of tasks with columns for magic, name, status, schedule, prio, preem, slice, stkbase, and stksize. The bottom window, titled 'E::TASK.TS 140B4', shows a detailed view of a specific task (TASK 5) with columns for signal, handler, mask, and present.

magic	name	status	schedule	prio	preem	slice	stkbase	stksize
00013D6C	TASK 0	SLEEP	00000822	1.	YES	20.	00016140	500.
00013E14	TASK 1	READY	00002600	10.	YES	5.	00016344	500.
00013EBC	TASK 2	RUNNING	000026C0	10.	YES	5.	00016548	500.
00013F64	TASK 3	SLEEP	00000177	5.	YES	DISABL	0001674C	500.
0001400C	TASK 4	SEMA	00000177	5.	YES	DISABL	00016950	500.
000140B4	TASK 5	EVENTS	00000822	7.	YES	DISABL	00016B54	500.
0001415C	DBUG+	SLEEP	00003266	8.	YES	DISABL	00016D58	600.

magic	name	status	schedule	prio	preem	slice	stkbase	stksize
000140B4	TASK 5	EVENTS	00000822	7.	YES	DISABL	00016B54	500.

signal	handler	mask	present
	NONE	00000000	NONE

Task Status list window and detailed window of one specific task

The image shows a window titled 'E::TASK.SS 1424C' displaying semaphore status. It includes columns for magic, name, count, styp, waiting, and first. Below the table, it lists 'waiting tasks'.

magic	name	count	styp	waiting	first
0001424C	SEM 0	00000000	FIFO	1.	TASK 4

waiting tasks
0001400C TASK 4

Semaphore Status window

The image shows a window titled 'E::TASK.DM 14298' displaying dynamic memory pool status. It includes columns for magic, name, start, poolsz, minimum, avail, type, wait, and first. Below the table, it lists 'waiting tasks'.


magic	name	start	poolsz	minimum	avail	type	wait	first
00014298	SYSTEM	00016130	4096.	52.	352.	FIFO	0.	NONE

waiting tasks
no task waiting

Dynamic memory pool window

Nucleus PLUS specific display of analyzer listing

The data recorded in the analyzer can be displayed and interpreted specific to the operating system. The task switches can be displayed symbolically.



```


E::a.ll task l.asm
Goto... Find... Set Ref Set Zero View
--- TASK = 0001415C  DEBUG+
--- TASK = 00000000  (kernel)
--- TASK = 00013EBC  TASK 2
--- TASK = 00000000  (kernel)
--- TASK = 00015A54  SYSTEM H
--- TASK = 00000000  (kernel)
--- TASK = 0001400C  TASK 4
--- TASK = 00000000  (kernel)
--- TASK = 00013F64  TASK 3
ori.b    #0A8,(a4)+
ori.b    #0E,-(a0)
movea.l  2C(a0),a7
cmpi.w   #0,(a7)+
bne      9B30
movem.l  (a7)+,[d2-d7,a2-a6]
move     sr,d0
andi.w   #0FBFF,d0
or.w     15A1A,d0
move     d0,sr
rts
bra      0F5C6
movem.l  (a7)+,[d6-d7,a3-a5]
rts
lea      14(a7),a7
  
```

Analyzer listing, task selective recording, display of task switches and assembler mnemonics


Statistic evaluation and graphic display of task run times

The analyzer can calculate statistic tables of task run times and task switches. A graphical diagram shows

which task was active at a specific time, giving a clear view of the behaviour of the system.



range	time	avr	maxintr	count	ratio	1%	2%	5%	10%	20%	50%
(root)	6.500ms	6.500ms	0.000	1.	0.105%						
(kernel)	28.451ms	50.356us	0.000	565.	0.460%						
TASK 0	9.867ms	657.800us	0.000	15.	0.153%						
TASK 3	1.568ms	392.062us	0.000	4.	0.025%						
TASK 4	1.364ms	341.156us	0.000	4.	0.022%						
TASK 5	6.111ms	407.458us	0.000	15.	0.098%						
DEBUG+	87.571ms	540.566us	0.000	162.	1.418%						
TASK 1	2.971s	31.280ms	0.000	95.	48.123%						
SYSTEM H	152.587ms	824.795us	0.000	105.	2.471%						
TASK 2	2.909s	31.623ms	0.000	92.	47.115%						



Statistics and flow of tasks

Task related evaluation of function run times

The statistic and graphic evaluation of function calls and function run times can be done dependant to the actual running task. This is necessary, if dif-

ferent tasks call one single function at the same time, or if a task switch occurs in between the function.

Address	Function Name	Time
+007704	TASK = 00000000 (kernel)	
+007705	TASK = 0001415C DEBUG+	
+007711	DBT_Put_Char+2	6.750us
+007712	DBT_Put_Char+1E	6.750us
+007713	DBT_Get_Char+2E	3.848ms
+007714	DBC_Input_Line+3C	20.900ms
+007715	DBC_Get_Token+2	61.000us
+007716	DBC_Get_Token+60	61.000us
+007717	DBT_String_Compare+2	59.375us
+007718	strncmp+2	38.625us
+007719	strncmp+36	38.625us
+007720	DBT_String_Compare+24	59.375us
+007721	DBC_Items_Per_Height+2	20.000us
+007722	DBC_Items_Per_Height+20	20.000us
+007723	DBC_Items_Per_Width+2	40.500us
+007724	DBC_Items_Per_Width+22	40.500us

Analyzer listing, function call hierarchy and task switches


range	tree	time	min	max	avr
(root)@DEBUG+	(root)@DEBUG+	31.938ms	0.000	31.938ms	31.938ms
_DBC_Items_Per_Width+2@DEBUG+	_DBC_Items_Per_Width+2@DEBUG+	40.500us	40.500us	40.500us	40.500us
DBC_Items_Per_Height+2@DEBUG+	DBC_Items_Per_Height+2@DEBUG+	20.000us	20.000us	20.000us	20.000us
dbc_DBC_Input_Line+3C@DEBUG+	DBC_Input_Line+3C@DEBUG+	20.900ms	20.900ms	20.900ms	20.900ms
mo\dbt_DBT_Get_Char+2@DEBUG+	DBT_Get_Char+2@DEBUG+	20.850ms	3.848ms	16.911ms	6.950ms
mo\dbt_DBT_Put_Char+2@DEBUG+	DBT_Put_Char+2@DEBUG+	20.250us	6.750us	6.750us	6.750us
_DBC_Display_Status+2@DEBUG+	DBC_Display_Status+2@DEBUG+	10.548ms	0.000	10.548ms	10.548ms
mo\dbc_DBC_Get_Name+2@DEBUG+	DBC_Get_Name+2@DEBUG+	27.625us	27.625us	27.625us	27.625us
mo\dbt_DBT_Put_Char+2@DEBUG+	DBT_Put_Char+2@DEBUG+	10.417ms	6.750us	10.403ms	3.472ms

Statistics on function hierarchy, task related

Statistic evaluation and graphic display of task states

These tabular and graphical analyses of the status of tasks show the various states (i.e. running, ready, waiting, suspended and undefined) and times each task spent in each state. A graphical

view of the data can help to highlight prioritisation problems, critical paths etc.




Statistics and flow of task states

Task Stack Coverage

In real time systems it is quite important to know, how much stack space each task consumes. For this purpose

a special window shows the current and the maximum usage of each separate task.



Task stack coverage window

PRACTICE functions for OS data.


The support includes extended PRACTICE functions for Nucleus PLUS specific data. E.g. the function "TASK.CONFIG(magic)" returns the id

of the so called magic value, which corresponds to the id of the current executed task.

Nucleus PLUS related pull-down menu

Because the menu bar of the TRACE32 user interface can be fully customized, you can create a new pull down menu, including operating system specific commands. We deliver

Nucleus PLUS support with an example for such specific menus, which provides fast access to the Nucleus PLUS features.



TRACE32 with Nucleus PLUS menu

Contact

International Representative

Argentina

Anacom Eletronica Ltda.
Mr. Rafael Sorice
Rua Nazareth, 807, Barcelona
BR-09551-200 São Caetano do Sul, SP
Phone: +55 11 3422 4200
FAX: +55 11 3422 4242
EMAIL: rsorice@anacom.com.br

Australia

Embedded Logic Solutions P/L
Mr. Ramzi Kaffan
Suite 2, Level 3
144 Marsden Street
Parramatta NSW 2150
Phone: +61 2 9687 1880
FAX: +61 2 9687 1881
EMAIL: sales@emlogic.com.au

Austria

Lauterbach GmbH
Altlaufstr. 40
D-85635 Höhenkirchen-Siegertsbrunn
Phone: +49 8102 9876 0
FAX: +49 8102 9876 999
EMAIL: info@lauterbach.com

Belgium

Tritec Benelux B.V.
Mr. Robbert de Voogt
Stationspark 550
NL-3364 DA Slidrecht
Phone: +31 184 41 41 31
FAX: +31 184 42 36 11
EMAIL: software@tritec.nl

Brazil

Anacom Eletronica Ltda.
Mr. Rafael Sorice
Rua Nazareth, 807, Barcelona
BR-09551-200 São Caetano do Sul, SP
Phone: +55 11 3422 4200
FAX: +55 11 3422 4242
EMAIL: rsorice@anacom.com.br

Canada

Lauterbach Inc.
Mr. Udo Zoettler
4 Mount Royal Ave.
USA-Marlborough, MA 01752
Phone: +1 508 303 6812
FAX: +1 508 303 6813
EMAIL: info_us@lauterbach.com

China Beijing

Lauterbach Technologies Co., Ltd
Mr. Linglin He
Beijing Office
A3, South Lishi Road, XiCheng District
Beijing 100037, P.R. China
Phone: +86 10 68023502
FAX: +86 10 68023523
EMAIL: linglin.he@lauterbach.com

China Shenzhen

Lauterbach Technologies Co., Ltd
1406/E Xihaimingzhu Building
No.1 Taoyuan Road, Nanshan District
Shenzhen 518052, P.R. China
Phone: +86 755 8621 0671
FAX: +86 755 8621 0675
EMAIL: emily.zhang@lauterbach.com

China Suzhou

Lauterbach Technologies Co., Ltd
Mr. Linglin He
Hengyu Square, Rm 709
No. 188, Xing Hai Street
Suzhou, 215021 P.R. of China
Phone: +86 512 6265 8030
FAX: +86 512 6265 8032
EMAIL: info_cn@lauterbach.com

Czech Republic

Lauterbach GmbH
Altlaufstr. 40
D-85635 Höhenkirchen-Siegertsbrunn
Phone: +49 8102 9876 0
FAX: +49 8102 9876 999
EMAIL: info@lauterbach.com

Denmark

Nohau Danmark A/S
Mr. Flemming Jensen
Klausdalsbrovej 493
DK-2730 Herlev
Phone: +45 44 52 16 50
FAX: +45 44 52 26 55
EMAIL: info@nohau.dk

Egypt

Wantech Egypt
Mr. Wagih A. Nawara
5 Shafik Ghalie St., Suite 2
Off Pyramids Road, Giza
Cairo 12111
Phone: +20 100 1251955
FAX: +20 100 1250349
EMAIL: sales@wantech.net.com

Finland

Nohau Solutions Finland
Mr. Martti Viljainen
Teknobulevardi 3-5
FI-01531 Vantaa
Phone: +358 40 546 1469
FAX: +358 9 2517 8101
EMAIL: sales@nohau.fi

France

Lauterbach S.A.R.L.
Mr. Jean-Pierre Paradiso
Europarc - Le Hameau B
135 Chemin Des Bassins
F-94035 Créteil Cedex
Phone: +33 1 49 56 20 30
FAX: +33 1 49 56 20 39
EMAIL: info_fr@lauterbach.com

Germany

Lauterbach GmbH
Altlaufstr. 40
D-85635 Höhenkirchen-Siegertsbrunn
Phone: +49 8102 9876 0
FAX: +49 8102 9876 999
EMAIL: info@lauterbach.com

Germany North

Lauterbach GmbH
Mr. Klaus Hommann
Leonhardring 5
D-31319 Sehnde
Phone: +49 8102 9876 174
FAX: +49 5138 6185 3
EMAIL: klaus.hommann@lauterbach.com

Germany South

Lauterbach GmbH
 Andreas Grimm
 Altlaufstr. 40
 D-85635 Höhenkirchen-Siegertsbrunn
 Phone: +49 8102 9876 190
 FAX: +49 8102 9876 187
 EMAIL: andreas.grimm@lauterbach.com

Greece

Lauterbach GmbH
 Altlaufstr. 40
 D-85635 Höhenkirchen-Siegertsbrunn
 Phone: +49 8102 9876 0
 FAX: +49 8102 9876 999
 EMAIL: info@lauterbach.com

Hungary

Lauterbach GmbH
 Altlaufstr. 40
 D-85635 Höhenkirchen-Siegertsbrunn
 Phone: +49 8102 9876 0
 FAX: +49 8102 9876 999
 EMAIL: info@lauterbach.com

India-Bangalore

Electro Systems Associates Pvt. Ltd.
 Mr. G. V. Gurunatham
 S-606, World Trade Center
 Malleswaram West, No.26/1, Dr. Rajkumar
 Road
 India - Bangalore 560055
 Phone: +91 80 67648888
 FAX: +91 80 23475615
 EMAIL: Trace32sales@esaindia.com

India-Chennai

Electro Systems Associates Pvt. Ltd.
 Mr. D. Kannan
 No.109/59A, Ground Floor
 IV Avenue, Ashok Nagar
 India - Chennai - 600 083 Tamilnadu
 Phone: +91 044-24715750
 FAX: +91 44 24715750
 EMAIL: chennai@esaindia.com

India-Delhi

Electro Systems Associates Pvt. Ltd.
 Mr. R.K. Bhandari
 No. 705, 7th Floor, Laxmi Deep
 Shivajinagar
 India - Delhi - 110 092
 Phone: +91 11-22549351
 FAX:
 EMAIL: delhi@esaindia.com

India-Hyderabad

Electro Systems Associates Pvt. Ltd.
 Mr. C.V.M. Sri Ram Murthy
 Shop No. 14, "Global Enclave"
 Bhagyavanagar Colony, Kukat pally
 India - Hyderabad 500 072
 Phone: +91 40-23063346
 FAX: +91 40-23063346
 EMAIL: hyderabad@esaindia.com

India-Pune

Electro Systems Associates Pvt. Ltd.
 Mr. R K Bhandari
 Shriram Complex, 1126/1, Model Colony
 Shivajinagar
 India - Pune - 411 016
 Phone: +91 20 - 30462035 / 25663
 FAX: +91 20-25677202
 EMAIL: pune@esaindia.com

Ireland

Lauterbach Ltd.
 Mr. Barry Lock
 11 Basepoint Enterprise Centre
 Stroudley Road
 Basingstoke, Hants RG24 8UP
 Phone: +44-1256-333-690
 FAX: +44-1256-336-661
 EMAIL: info_uk@lauterbach.com

Israel

Itec Ltd.
 Mr. Mauri Gottlieb
 P.O. Box 10002
 IL-Tel Aviv 61100
 Phone: +972 3 6491202
 FAX: +972 3 6497661
 EMAIL: general@itec.co.il

Italy

Lauterbach Srl
 Mr. Maurizio Menegotto
 Via Enzo Ferrieri 12
 I-20153 Milano
 Phone: +39 02 45490282
 FAX: +39 02 45490428
 EMAIL: info_it@lauterbach.com

Japan

Lauterbach Japan, Ltd.
 Mr. Kenji Furukawa
 3-8-8 Shinyokohama
 Kouhoku-ku, Nisso 16th Building
 Yokohama-shi, Japan 222-0033
 Phone: +81 45 477 4511
 FAX: +81 45 477 4519
 EMAIL: info@lauterbach.co.jp

Luxembourg

Tritec Benelux B.V.
 Mr. Robbert de Voogt
 Stationspark 550
 NL-3364 DA Sliedrecht
 Phone: +31 184 41 41 31
 FAX: +31 184 42 36 11
 EMAIL: software@tritec.nl

Malaysia

Flash Technology
 Mr. Teo Kian Hock
 No 61, # 04-15 Kaki Bukit Av 1
 Shun Li Industrial Park
 SGP-Singapore 417943
 Phone: +65 6749 6168
 FAX: +65 6749 6138
 EMAIL: teokh@flashtech.com.sg

Mexico

Lauterbach Inc.
 Mr. Udo Zoettler
 4 Mount Royal Ave.
 USA-Marlborough, MA 01752
 Phone: +1 508 303 6812
 FAX: +1 508 303 6813
 EMAIL: info_us@lauterbach.com

Netherlands

Tritec Benelux B.V.
 Mr. Robbert de Voogt
 Stationspark 550
 NL-3364 DA Sliedrecht
 Phone: +31 184 41 41 31
 FAX: +31 184 42 36 11
 EMAIL: software@tritec.nl

New Zealand

Embedded Logic Solutions P/L
 Mr. Ramzi Kattan
 Suite 2, Level 3
 144 Marsden Street
 Parramatta NSW 2150
 Phone: +61 2 9687 1880
 FAX: +61 2 9687 1881
 EMAIL: sales@emlogic.com.au

Norway

Nohau Solutions AB
 Mr. Jörgen Nilsson
 Derbyvägen 4
 SE-21235 Malmö
 Phone: +46 40 592 206
 FAX: +46 40 592 229
 EMAIL: sales@nohau.se

Poland

QUANTUM Sp. z o.o.
 Mr. Aleksander Bil
 ul. Jeleniogorska 6
 54-056 Wrocław
 Phone: +48 71 362 6356
 FAX: +48 71 362 6357
 EMAIL: info@quantum.com.pl

Portugal

Captura Electronica, SCCL
Mr. Juan Martinez
c/Duero, 40
E-08031 Barcelona
Phone: +34 93 429 5730
FAX: +34 93 407 0778
EMAIL: info@captura-el.com

Romania

Lauterbach GmbH
Altlaufstr. 40
D-85635 Höhenkirchen-Siegersbrunn
Phone: +49 8102 9876 0
FAX: +49 8102 9876 999
EMAIL: info@lauterbach.com

Russia

RTSoft
Mr. Alexey Isaev
Nikitinskaya 3
RUS-105037 Moscow
Phone: +7 495 742 6828
FAX: +7 495 742 6829
EMAIL: sales@rtsoft.msk.ru

Singapore

Flash Technology
Mr. Teo Kian Hock
No 61, # 04-15 Kaki Bukit Av 1
Shun Li Industrial Park
SGP-Singapore 417943
Phone: +65 6749 6168
FAX: +65 6749 6138
EMAIL: teokh@flashtech.com.sg

South Korea, Pangyo

MDS Technology Co., Ltd.
Mr. Sangheon Lee
3FL, Hancom Tower
49, Daewangpangyo-ro 644, Bundang-gu
Seongnam-si, Gyeonggi-do, 463-400, ROK
Phone: +82-31-627-3000
FAX: +82-31-627-3100
EMAIL: trace32@mdstec.com

Spain

Captura Electronica, SCCL
Mr. Juan Martinez
c/Duero, 40
E-08031 Barcelona
Phone: +34 93 429 5730
FAX: +34 93 407 0778
EMAIL: info@captura-el.com

Sweden

Nohau Solutions AB
Mr. Jörgen Nilsson
Derbyvägen 4
SE-21235 Malmö
Phone: +46 40 592 206
FAX: +46 40 592 229
EMAIL: sales@nohau.se

Switzerland

JDT Jberg DatenTechnik
Mr. Andreas Jberg
Zimmereistrasse 2
CH-5734 Reinach AG
Phone: +41 62 7710 886
FAX:
EMAIL: Andreas.Jberg@jdt.ch

Taiwan

Superlink Technology Corp.
Mr. Sulin Huang
3F-8, No. 77, Sec. 1, Xintaiwu Rd., Xizhi District,
New Taipei City 22101, Taiwan, R.O.C.
Phone: +886 2 26983456
FAX: +886 2 26983535
EMAIL: info.stc@superlink.com.tw

Tunisia

Lauterbach Consulting S.A.R.L.
Mr. Khaled Jmal
Route El Ain Km 3.5
TN-3062 Sfax
Phone: +216-74611730
FAX: +216-74611723
EMAIL: info_tn@lauterbach.com

Turkey-1

Tektronik Muh. ve Tic. A.S.
Mr. Hakan Yavuz
CyberPlaza B-Blok, 702B
Bilkent
06800 Ankara
Phone: +90 312 437 3000
FAX: +90 312 437 1616
EMAIL: info@tektronik.com.tr

Turkey-2

G3TEK Embedded Technologies Ltd.
Mr. Celal Aygun
Ilkyerlesim Mah. 445.
Sok. No: 48
06370 Batikent/Ankara
Phone: +90 312 3324769
FAX: +90 312 3324769
EMAIL: info@g3tek.com

UK

Lauterbach Ltd.
Mr. Barry Lock
11 Basepoint Enterprise Centre
Stroudley Rd
Basingstoke, Hants RG24 8UP
Phone: +44 1256 333 690
FAX: +44 1256 350 301
EMAIL: info_uk@lauterbach.com

USA East

Lauterbach Inc.
Mr. Udo Zoettler
4 Mount Royal Ave.
USA-Marlborough, MA 01752
Phone: +1 508 303 6812
FAX: +1 508 303 6813
EMAIL: info_us@lauterbach.com

USA West

Lauterbach Inc.
Mr. Bob Kupyn
1111 Main Street, Suite 620
USA-Vancouver, WA, 98660
Phone: +1 503 524 2222
FAX: +1 503 524 2223
EMAIL: bob.kupyn@lauterbach.com

Additional Information

<http://www.lauterbach.com>

Lauterbach GmbH

Altlaufstr. 40
D-85635 Höhenkirchen-Siegertsbrunn
Tel. ++49 8102 9876-0 FAX -999
info@lauterbach.com
http://www.lauterbach.de

Lauterbach Inc.

4 Mount Royal Ave.
Marlboro MA 01752
Phone (508) 303 6812 FAX (508) 303 6813
info_us@lauterbach.com
http://www.us.lauterbach.com

Lauterbach Ltd.

11 Basepoint Enterprise Ctre Stroudley Road
Basingstoke, Hants RG24 8UP
Phone ++44-1256-333-690 FAX -661
info_uk@lauterbach.com
http://www.lauterbach.co.uk

Lauterbach S.A.R.L.

135 Chemin Des Bassins
F-94035 Créteil Cedex
Phone ++33-149-562-030
FAX ++33-149-562-039
info_fr@lauterbach.com
http://www.lauterbach.fr

Lauterbach Japan, Ltd.

3-9-5 Shinyokohama Kouhoku-ku
Yokohama-shi Japan 222-0033
Phone ++81-45-477-4511 FAX -4519
info_j@lauterbach.com
http://www.lauterbach.co.jp

Lauterbach s.r.l.

Lauterbach s.r.l.
Via Enzo Ferrieri 12
I-20153 Milano
Phone ++39 02 45490282
FAX ++39 02 45490428
info_it@lauterbach.it
http://www.lauterbach.it

Suzhou Lauterbach Consulting Co.,Ltd.

Room 1605, Xing Hai International Square
No.200, Xing Hai Street
Suzhou, 215021 PR of China
Phone: 0086-512 6265 8030
FAX: 0086-512 6265 8032
info_cn@lauterbach.cn
http://www.lauterbach.cn

Disclaimer

The information presented is intended to give overview information only. Changes and technical enhancements or modifications can be made without notice.

