



TRACE32®

TOOL QUALIFICATION SUPPORT-KIT

Minimize Your Debug- and Trace-Tool Qualification
Efforts and Costs in Safety-Related Railway Projects



EN 50128




TOOL QUALIFICATION SUPPORT-KIT FOR RAILWAY

The Lauterbach TRACE32® Tool Qualification Support-Kit (TQSK) provides everything you need to qualify your TRACE32® tools for use in safety-related industrial projects with the least possible effort. It is designed for the qualification of TRACE32® as a T3 tool.

BENEFITS – MORE TRUST, LESS EFFORT

- Our fully-features and fi eld-proven TQSK minimizes your tool qualification effort and costs. It includes artifacts, templates, and test cases that you can adopt for different projects and architectures easily.
- Our Test Suite – Debug provides test cases for all common debug tasks such as target configuration, programming flashes, loading programs, setting breakpoints, and reading/writing of memory and variables as well as configuring your devices for trace. It supports symmetric/asymmetric multiprocessing (SMP/AMP).
- Our Test Suite – Coverage includes statement, branch and condition coverage. It supports source code and assembly level coverage, and incremental as well as SPY Code Coverage modes.
- All test suites run in the target environment as well as in the TRACE32® Instruction Set Simulator. We provide test suites for our TriCore™ (including TC4x), Arm® and M68060 Instruction Set Simulators, as well as full support and service around your tool qualification.



i

WHAT ARE THE REQUIREMENTS FOR A TOOL QUALIFICATION?

The final tool qualification can only be done in the very specific project environment at customer site, because it is usually different from the vendor's test environment. Our easy to use TQSK ist the best solution for minimizing the qualification effort, as the supplied test cases and documents do not have to be created from scratch, but only adapted to the customer environment.

EN 50128



How our TQSK Simplifies Your Tool Qualification Process

Qualification of safety-critical projects according to EN 50128 also includes qualification of the development tools used. We can support you in ensuring that you can perform the final qualification with the least possible effort: In step 1 we prepared the documentation required for the qualification process, developed appropriate test suites for each use case, performed the prequalification of our tools, before we provide the resulting data to you in the form of our Tool Qualification Support Kit. (Figure 1/ top)

In the second step you run the tests in your environment and get a test report that includes the test results for your specific target.

The documents (artifacts) we deliver you can adopt to your operational environment easily as well. At the end of the process you have all deliverables for your tool certification together. (Figure 1/ bottom)

In conclusion our fully-featured and fieldproven TQSK minimizes your tool qualification effort and costs. If you would have needed several months for your tool qualification without TQSK, this time is shortened by a multiple. Finally, you can adopt the TQSK for different projects and architectures easily.



WHAT IS EN 50128?

The european standard EN 50128 describes a set of requirements that the development, deployment and maintenance of safety-related software for railroad control and monitoring applications must meet.



Figure 1: The 2-stage qualification process




Figure 2: TQSK structure

Test Suite Debug

Our Test Suite – Debug provides test cases for all common debug tasks such as target configuration, flash programming, loading programs, setting breakpoints, and reading/writing of memory and variables as well as configuring your devices for trace. It supports symmetric/asymmetric multiprocessing (SMP/AMP).

Test Suite Coverage

Structural coverage is among the tool use cases that need to be qualified. Our Test Suite – Coverage includes statement, branch and condition coverage. It supports source code coverage for C and assembly level coverage for executable object code.

Pre-qualified Chips/Architectures

We have pre-qualified our Test Suite – Coverage with the following chips/architectures:

- TI Hercules™ RM57Lx – Arm® Cortex®-R5
- NXP MPC5777M – PowerPC™ MPC55xx
- Infineon Aurix™ TC297TF – TriCore™ TC27x
- ST Microelectronics Stellar SR6P7G7 – Arm® Cortex®-R52
- NXP MPC565 – PowerPC™ MPC500
- NXP M68060 – 68060
- TI Hercules™ RM57LX – Arm® Cortex®-M33
- NXP LPC5500 – Arm® Cortex®-M3
- MIPS® M14K™
- NXP MPC5554 – PowerPC® MPC5500
- TI Hercules TMS570 – Arm® Cortex®-R5
- Microchip PolarFire® SoC E51 – RISC-V®

We have pre-qualified our Test Suite – Debug with the following chip/architecture:

- Infineon Aurix™ TC297TF – TriCore™ TC27x
- Infineon AURIX™ TC399XE – TriCore™ TC399x
- AMD Ultra96™-V2
- NXP MPC5744P – PowerPC® MPC55xx

You can adopt both Test Suites to your chips/architectures easily.

Test Suite Simulator

We also provide test suites for our TriCore™ (including TC4x), Arm® and M68060 Instruction Set Simulators (ISS). A qualified ISS is an accepted test environment in the software module testing phase of the project. In this way you can start your product software qualification before hardware is available.

TQSK Scope of Delivery

We provide everything you need for your tool qualification. This includes:

- Download of personalized versions of TQSK Test Suites
- Access to all notable TQSK-related changes to the TRACE32® software
- Access to all known TQSK-related issues and their status



MORE INFOS ABOUT TQSK

www.lauterbach.com/use-cases/tool-qualification

