

### FROM UNIT TO INTEGRATION TO SYSTEM TESTING Speeding Up Safety Certification with Trace-based Code Coverage

Many embedded systems must be developed according to an internationally recognized safety standard. Part of the data required to prove that a system meets these standards is a form of code coverage. In this article, we show how code coverage measurements can be made using TRACE32<sup>®</sup> trace tools with little or no code instrumentation required. This approach simplifies and accelerates integration and system tests in particular and can complement traditional unit testing tools for faster and more efficient safety certifications.

#### Introduction

Code coverage measurement is a requirement for certification to evaluate the completeness of test cases and to demonstrate that there is no unintended functionality. Test cases for the verification of code coverage can be executed in different test phases, the unit test, the integration test and the system test.

When using traditional test tools, integration and system tests often generate considerable time and personnel expenditure due to the necessary code instrumentation, which can be reduced dramatically with trace-based code coverage measurements using TRACE32<sup>®</sup> tools.

The combination of traditional test tools and their code coverage measurement capabilities, which can play to their strengths particularly in unit testing, and TRACE32<sup>®</sup> with its advantages in integration and system testing, together offer optimum customer benefits.

Setup. A Goto         €list         + Add         £lost           address         tree         tree         tree           P:FFFF0288-FFFF039F         Iminitestil         main           P:FFFF0309-FFFF038F         Iminitestil         main           P:FFFF030-FFFF038F         Iminitestil         Iminitestil           P:FFFF030-FFFF038F         Iminitestil         Iminitestil           P:FFFF0478         Iminitestil         Iminitestil           P:FFFF030-FFFF038F         Iminitestil         Iminitestil           P:FFFF0478         Iminitestil         Iminitestil           P:FFFF034-FFFF038A         Iminitestil         Iminitestil           P:FFFF0478         Iminitestil         Iminitestil           P:FFFF034-FFFF038A         Iminitestil         Iminitestil           P:FFFF0474-FFF058A         Iminitestil         Iminitestil           P:FFFF084C-FFFF08AB         Iminitestil         Iminitestil           P:FFFF084C-FFFF08AB         Iminitestil         Iminitestil           P:FFFF084C-FFFF08AB         Iminitestil         Iminitestil	low	nt coverage decision 0% 50% 10 stmt+dc 100.000% incomplete 88.392% stmt+dc 100.000% stmt+dc 100.000% stmt+dc 100.000% stmt+dc 100.000% stmt+dc 100.000% stmt+dc 100.000%	
<		P:FFFF02E8FFFF04I7 = \unittest2 stmt-dc P:FFFF02E8FFFF04I7 = \unittest2 stmt-dc P:FFFF0430FFFF04I7 = \unittest stmt-dc P:FFFF0430FFFF0878 = \u00fccontrol_flow incomplete P:FFFF0430FFFF0878 = \u00fccontrol_flow incomplete P:FFFF0354FFFF0878 = \u00fccontrol_flow stmt-dc P:FFFF0788FFFF0887 = \u00fccontrol_flow stmt-dc P:FFFF0854FFFF0887 = \u00fccontrol_flow stmt-dc P:FFFF0854FFFF0888 = \u00fccontrol_flow stmt-dc P:FFF0854FFFF0888 = \u00fccontrol_flow stmt-dc P:FFFF0854FFFF0888 = \u00fccontrol_flow stmt-dc P:FFF0854FFFF0888 = \u00fccontrol_flow stmt-dc P:FFF0854FFFF0888 = \u00fccontrol_flow stmt-dc P:FFF0854FFFF0888 = \u00fccontrol_flow stmt-dc P:FFF0854FFF0888 = \u00fccontrol_flow stmt-dc P:FF0854FFF0888 = \u00fccontrol_flow stmt-dc P:FF0854FFF0888 = \u00fccontrol_flow stmt-dc P:FF0854FFF0888 = \u00fccontrol_flow stmt-dc P:FF0854FF0888FFF0888	decision 0% 50% 1 100.000% 100.000% 54.166% 100.000% 100.

Figure 1. Code Coverage Measurements with TRACE32®.

# **APPLICATION BRIEF**



#### Challenges of Traditional Code Coverage Approaches

Traditionally, Code Coverage needs instrumentation of full source code or object code to capture the program flow. In the case of source code instrumentation, the instrumented code is compiled before running it on the target or in a simulator. In the case of object code instrumentation, the process is similar, but instrumentation is done after compilation. In both cases the program flow is acquired via a functional interface and analyzed in the Code Coverage Tool after that. Figure 2 shows the workflow.

While the described traditional approach works fine in unit testing, it brings up a couple of typical issues in integration and system tests: The first challenge is the larger code size caused by the instrumentation, which can lead to the executable no longer fitting into the target's memory. Furthermore, developers suffer from larger RAM consumption and a longer execution time due to the code overhead.

The biggest problem, however, is that this approach no longer works for real-time applications in integration testing and, at the latest, system testing, because the code instrumentation no longer provides real-time conditions.

To solve these problems, the code coverage measurements are typically divided into several parts, in each of which only a part of the code is instrumented. The results are then merged. This means that several build and test runs are necessary, which in practice can take days or even weeks depending on the complexity of the application.



Figure 3. Workflow of TRACE32® Trace-based Code Coverage Measurements.

# **APPLICATION BRIEF**



#### Advantages of TRACE32<sup>®</sup> Code Coverage Approach in Integration and System Testing

When using Lauterbach's TRACE32<sup>®</sup> tools for realtime trace, the data required for code coverage measurements is obtained directly from the recorded trace data and analyzed in the TRACE32<sup>®</sup> PowerView software. Code instrumentation is either not necessary at all, or only to a very limited extent using so named targeted instrumentation.

Targeted instrumentation covers any trace gaps and is only necessary in the code coverage metrics MC/DC, decision coverage and condition coverage in connection with conditional instructions, for example. For other metrics such as statement coverage, function coverage and call coverage, no code instrumentation is necessary at all.

The uninstrumented or targeted instrumented code is then compiled and executed on the target or in the simulator. The program flow is recorded by the TRACE32<sup>®</sup> tools via the trace interface and then analyzed in the TRACE32<sup>®</sup> PowerView software or in external code coverage tools (Figure 3).

The advantages in integration and system testing are obvious: there is only a small increase in code

size, if any, and additional data memory (RAM) is not required at all. The biggest advantage, however, is that code coverage measurements can also be carried out far more efficiently for real-time applications: You need fewer build and test runs for a complete code coverage measurement. This saves time and effort.

In practice, it is often the case that the code fully instrumented by traditional test tools no longer fits into the memory or no longer meets the time specifications, or both. This problem is then solved by alternately instrumenting only parts of the code, in fact such large parts that the time specifications (just now) are met and the code (just now) fits into the memory. In many practical examples, one half is instrumented alternately, which means, that two build and test runs must be carried out and at the end the two code coverage measurements have to be merged (Figure 4, above).

With the TRACE32<sup>®</sup> trace-based code coverage measurement, one build and test run is usually sufficient due to the minimally invasive instrumentation, which leads to a saving of 50% of the total effort in our example (Figure 4, below). When you consider that these tests often take days or weeks to complete, it is easy to see the relevance of the savings.



Figure 4. TRACE32® Trace-based Code Coverage Measurements vs. Use of Traditional Tools in System Tests (Example).

## **APPLICATION BRIEF**



#### Merging Code Coverage Measurements

In the application example that runs on different MCUs and contains specific code parts for each of them, you cannot run both test scenarios at the same time. Each test scenario will therefore only show a certain amount of code coverage because the part for the other MCU will not be executed.

With our TRACE32<sup>®</sup> Merge Tool, several code coverage reports can be merged to generate an overall code coverage report (Figure 5). It consolidates the results of multiple code coverage test runs performed at different times, with different builds or – like in our example – different target configurations.

#### Conclusion

Lauterbach's TRACE32<sup>®</sup> debug and trace tools enable trace-based, minimally invasive code coverage measurements in integration and system testing. TRACE32<sup>®</sup> tools provide code coverage measurements that are closer to the production code than with traditional tools. Embedded test engineers therefore require fewer builds, fewer test runs and can significantly reduce their overall effort compared to using traditional methods only.

In conclusion, the combination of traditional test tools and their code coverage measurement capabilities for unit testing and TRACE32<sup>®</sup> for integration and system testing, provide the best possible customer experience for efficient and time saving code coverage measurements.

-	Accule: control_flow														
Coverage metric: Current working directory:		olcoverage\merge_demo\merge_unitt	usfs.												
ACE32 software version:	TRACE32 N.2024.01	.000166198													
	2024-01-24T12:08:19 low ± 0% medium ± 75														
Coverage.	IN EUS REGUL 213	IN THE COURSE													
					COVer	age.List	tLine fu	nc3							
			tree			start line	end line	coverage	decision	<b>AV</b>	50%	100%	lines	ok	
		C:\Reposidemoidemoicoveragein		nolmeroe un	itlests/control_flow.c	102	116	stmt	100%	0%	3079	100%	1 1	OK 1	
		C:/Repos/demol.demol.coverage/m	erge_der	no/merge_un	itlests\control_flow.c	117	117	dc	100%				2	2	
		C:/Reposidemoidemoicoverage/m				118	118 119	dc	100%				1	1	
		C/Reposidemoldemolcoverage/m C/Reposidemoldemolcoverage/m				119 120	119	stmt stmt	100%			_	3	3	
		C:/Repos/demoldemolcoverage/m	erge_der	no/merge_un	ittests\control_flow.c	121	124	stmt	100%				2	2	
		C:/Reposidemoldemolcoverage/n C:/Reposidemoldemolcoverage/n				125 127	126 127	dc stmt	100% 100%				1 3	1	
		C:/Repos/demoldemolcoverage/n				127	127	sent	100%			_	1	1	
		C:/Repos/demol/demol/coverage/m				129	132	stmt	100%				2	2	
		C:(Reposidemoldemolcoverage)n C:(Reposidemoldemolcoverage)n				133 135	134 135	dc stmt	100%				1 3	1	
		C:/Repos/demo/demo/coverage/n				135	130	semt	100%				1	1	
		C.\ReposidemoldemolcoverageIn	erge_der	no/merge_un	ittests\control_flow.c	137	140	stmt	100%				1	1	
		C:/Reposidemoldemolcoverage/m C:/Reposidemoldemolcoverage/m				141 144	143 144	simt simt	100% 100%				1	1	
		C. Proposition to Coronage I	0.00_00	contrage_co		144	TOTAL	stmt+dc	100%				25	25	
														_	
						List fu	ncə								
				Coverage			Code lin	ю			]				
			102 103		#endif										
			104												
			105 108		#if defined(UNITTE /*! Function with bre										
			100		* Punction with bre	sak staterner	te in while bi	OCK.							
			108		* Break statements										
			109 110		* Statement covera * partially executed		e correctly r	eported when	n the loop bo	xdy is only					
			111		* The example sho	uld only repo									
			112		* have been execu				for dead co	de that					
			113 114		* does not generat */	e any execut	able object	code.							
			115		int_t func3(int_t a, i										
			116	stmt	{	/* # PROLO	DGUE */ INC3 WHIL				-				
			117 118	dc dc	while (a < 4) { if (a == 1) {		INC3_WHILE				1				
			119	stmt	b += 1 + 3*	a*b; /*#F	UNC3_WH	LE_IF1_SIM			1				
			120	stmt	break; b = 0;			IF1_BREAK			-				
			121		b=0; }	/ #PUN	og_mMILE_	UEAD 1							
			123												
			124	stmt	b += do_some	thing0(a); /	# FUNC3	WHILE_CAL	L1 */		-				
			125	dc	if (a == 2) {	/* # FUN	C3_WHILE	_IF2 */							
			127	stmt	b += 2 + 3 *	a*b; /*#F	UNC3_WH	LE_IF2_SIM			1				
			128 129	stmt	break; b = 0;			IF2_BREAK			-				Figure 5.
			129		}	/ # 1000	os_nnice	. 2_UCAU 1							Merging code
			131												
			132 133	stmt	b += do_some	thing1(a); /	*#FUNC3	WHILE_CAL	12*/		-				coverage
			134	dc	if (a == 3) (		C3_WHILE								measurements an
			135	stmt				ILE_IF3_SIM			1				generating an ove
			136	stmt	break; b = 0;			IF3_BREAK			-				0 0
			137		3	7 9 1000									code coverage re
			139												0
			140	stmt	a += 1; }	/* # FUN	C3_WHILE	_SIMPLE */			-				
			141		1										
			143	stmt	return 3 * b;		TURN 1/				-				
			144	stmt	}	/* # EPILO	GUE */								

### lauterbach com